

UNIVERSITY OF CALIFORNIA

Los Angeles

Indigenous Forest Use as an Agent of Change  
in Plant and Animal Communities  
of the Temperate Sikkim-East Nepal Himalaya

A dissertation submitted in partial satisfaction of the  
requirements for the degree Doctor of Philosophy  
in Geography

by

James Dean Bland

2015

© Copyright by

James Dean Bland

2015

## ABSTRACT OF THE DISSERTATION

Indigenous Forest Use as an Agent of Change  
in Plant and Animal Communities  
of the Temperate Sikkim-East Nepal Himalaya

by

James Dean Bland

Doctor of Philosophy in Geography

University of California, Los Angeles, 2015

Professor Thomas Welch Gillespie, Co-Chair

Professor Hartmut Walter, Co-Chair

The Eastern Himalaya Region is one of Earth's "biodiversity hotspots," with much of that diversity residing in the region's temperate broadleaved forests. As recently as forty years ago, these were some of the most inaccessible forests in the world. But after centuries of spreading subsistence agropastoralism, and more recently commercial logging, ecological degradation is pervasive, and in many areas only patches of primary forest remain. Unfortunately, empirical ecological knowledge of the region, and governmental capacity, are in nascent states of development, and ill-equipped for the task of simultaneously conserving regional biodiversity and improving the livelihoods of local people. In many areas, governments have recently initiated forest co-management programs, where local user groups manage the forest according to "indigenous wisdom" and government oversight. Presumably, scientific knowledge will be

integrated as it becomes available. With this study, I advance our knowledge of the effects of indigenous forest resource use on plant and animal communities in the Temperate Sikkim-East Nepal Himalaya.

In Chapter 1, I introduce the overall goal of the study: to model how subsistence use of Temperate Sikkim-East Nepal Forest changes indigenous plant and animal communities. I describe the region's rich biodiversity, when and by whom it was discovered, how seriously it is threatened, and how institutions of rural development and nature conservation are responding. I also provide background information on the conceptual, theoretical and methodological approaches I take, and I delineate the geographic, biotic, and cultural scope of the work, which was conducted at Chitre Village, in the Makalu Barun Buffer Zone adjoining Makalu Barun National Park, northeastern Nepal.

In Chapter 2, I assess household collection and consumption of woody plant resources, including fuelwood, timber, tree fodder, bamboo, pollarded stems, and leaf litter, and I investigate how these harvests impact resource supplies and natural habitats around the village.

In Chapter 3, I analyze plant species assemblages along a gradient of anthropogenic disturbance extending out from the village. I hypothesize the non-random distributions of woody plant species are more influenced by anthropogenic disturbance than by environmental heterogeneity. I investigate large relict stumps and trees near the village center and conclude the entire study area (entire length of the distance/disturbance gradient) was formerly covered in mixed broadleaved forest. Chapter 3 provides botanical and phytoecological foundations for the chapters that follow.

In Chapter 4, I study habitat associations of animal species and species assemblages (51 bird and 8 small mammal species) in order to establish baseline quantitative knowledge of species-

habitat associations for the Temperate Sikkim-East Nepal Himalaya, and to better understand how forest use practices impact the composition and structure of the region's wildlife habitats.

In Chapter 5, I investigate changes in woody plant and small animal communities that result from the harvest of woody plants, using distance from the village center as a surrogate for period and degree of anthropogenic disturbance. I estimate the intensity of resource harvests across three progressively disturbed habitat zones, and I assess the effects of resource harvest on wildlife habitats and the abundance, diversity, and composition of woody plant and small animal communities.

In Chapter 6, I use data from Chitre Village to create a graphic model of generalized changes in plant and animal communities at successive stages of rural development, at both landscape and patch scales. The model's four stages depict landscape-scale changes in vegetation and village development as an area transitions from seasonal pasture to commercial outpost. Six additional figures depict patch-scale habitat conditions associated with the changing landscapes. Corresponding changes in animal communities are presented in narrative, and referenced to supporting evidence from the preceding chapters.

Noteworthy accomplishments of this work - all novel for the temperate Himalaya - include: field experiments to determine weight loss and weight:volume ratio of hearth-dried fuelwood (Chapter 2), analysis of historic forest composition from relict stumps and trees (Chapter 3), analysis of woody plant associations formed by anthropogenic disturbance (Chapter 3), quantitative analysis of the breeding habitats of 51 bird and 8 non-volant small mammal species (Chapter 4), use of territorial spot mapping to determine microhabitat associations (Chapter 4) and breeding densities (Chapter 5) of "known" understory passerines (Design II habitat analysis), use of binary logistic regression to model habitats of selected understory

passerines (Chapter 4), identification of direct links between resource harvest and changes in the composition and structure (niche-gestalt) of animal species' habitats as well as compositional changes in plant and animal communities (Chapter 5), and use of photorealistic terrain visualization software to create generalized models of long-term anthropogenic change in mixed broadleaved forests of the Temperate Sikkim-East Nepal Himalaya.

The results of this study can be instrumental in identifying needs, priorities, and methodological approaches for future research. My investigation of the ecological effects of subsistence agropastoralism should be followed up with studies on the effects of swidden agriculture, where it is still practiced, and effects of cash crops, where they are being introduced. My investigation of animal species-habitat associations should be followed up with studies of taxa I omitted for various reasons. My approach to studying anthropogenic effects on animal guilds should be used to develop guild-based environmental monitoring in the region. Finally, much sociological work is needed to determine how best to encourage local forest users to trade off traditional forest use liberties for environmental conservation, and how best to train local people to implement science-based environmental monitoring.

The dissertation of James Dean Bland is approved.

Thomas Bates Smith

Hartmut Walter, Committee Co-Chair

Thomas Welch Gillespie, Committee Co-Chair

University of California, Los Angeles

2015

## DEDICATION

To my late mother, Dorothy Jean Bland, for her steadfast support, and to the residents of Chitre Village, in memory of one of their most promising sons, Lhakpa Dorchi “Ang Kaji” Sherpa, who perished on 18 April 2014 in a climbing accident on Mount Everest.



## TABLE OF CONTENTS

ABSTRACT OF THE DISSERTATION.....	ii
LIST OF TABLES. ....	xi
LIST OF FIGURES.. ....	xv
LIST OF APPENDICES. ....	xxi
ACKNOWLEDGMENTS.....	xxiii
VITA. ....	xxvi
Chapter 1: Problem, Objectives, Scope and Setting	
The Problem. ....	2
Transliteration of Nepali Terms. ....	6
Objectives and Scope . ....	7
Conceptual, Theoretical and Methodological Approach .. ....	10
The Physical Setting . ....	11
The Biotic Setting. ....	16
The Cultural Setting . ....	22
Tables . ....	33
Figures . ....	35
Appendixes . ....	46
Chapter 2: Harvest, Consumption, and Availability of Woody Plant Resources	
Abstract . ....	63
Introduction.. ....	64
Methods.. ....	66
Results . ....	71

Discussion .....	81
Tables .....	89
Figures .....	95
 Chapter 3: Associations of Woody Plant Species Along a Gradient of Forest Use	
Abstract .....	119
Introduction.....	119
Methods .....	121
Results.....	126
Discussion.....	128
Conclusions.....	134
Tables .....	137
Figures .....	143
Appendixes .....	155
 Chapter 4: Habitat Associations of Vertebrate Species Along a Gradient of Forest Use	
Abstract .....	156
Introduction.....	157
Methods.....	159
Results.....	173
Conclusions.....	183
Tables .....	186
Figures .....	215
Appendixes .....	235

Chapter 5: Ecological Change Along a Gradient of Forest Use

Abstract . . . . . 290

Introduction.. . . . . 292

Methods.. . . . . 294

Results.. . . . . 299

Discussion. . . . . 309

Conclusions. . . . . 314

Tables . . . . . 318

Figures . . . . . 370

Appendixes . . . . . 381

Chapter 6: A Model of Anthropogenic Change in Mixed Broadleaved Forests of the Temperate Sikkim-East Nepal Himalaya.

Abstract . . . . . 382

Introduction.. . . . . 383

Methods.. . . . . 384

Results.. . . . . 386

Discussion. . . . . 395

Conclusions. . . . . 397

Figures . . . . . 398

REFERENCES. . . . . 408

## LIST OF TABLES

TABLE 1.1. Species of special concern in the vicinity of Chitre Village. . . . .	33
TABLE 2.1. Household composition at Chitre Village. . . . .	89
TABLE 2.2. Quality rankings for woody plant species used as fuelwood. . . . .	90
TABLE 2.3. Weight and volume loss by three fuelwood species after drying. . . . .	92
TABLE 2.4. Household fuelwood consumption at Chitre Village. . . . .	93
TABLE 2.5. Quality rankings of woody plant species used for tree fodder . . . . .	94
TABLE 3.1. Plant taxa analyzed as single entities. . . . .	137
TABLE 3.2. Characteristic species of TWINSPAN woody plant associations. . . . .	138
TABLE 3.3. Relative diversity of woody plant species in TWINSPAN species associations. . . . .	139
TABLE 3.4.1. Composition of the mixed broadleaved association at Chitre compared to that of similar forest types reported elsewhere . . . . .	140
TABLE 3.4.2. Composition of the rhododendron association at Chitre compared to that of similar forest types reported elsewhere .. . . .	141
TABLE 3.4.3. Composition of the clearings association at Chitre compared to that of similar vegetation types reported elsewhere. . . . .	142
TABLE 4.1.1. Covariation of occupancy and abundance with mean habitat values for bird species of the closed-canopy assemblage. . . . .	186
TABLE 4.1.2. Covariation of occupancy with mean habitat values for bird species of the disturbed forest assemblage. . . . .	192
TABLE 4.1.3. Covariation of occupancy with mean habitat values for bird species of the village environments assemblage. . . . .	197

TABLE 4.2. Covariation of small mammal species with mean habitat values. . . . .	202
TABLE 4.3. Factor coordinates on bird PCA axes. . . . .	205
TABLE 4.4. Factor coordinates on small mammal PCA axes. . . . .	206
TABLE 4.5.1. Best logistic regression models for grey-bellied tesia microhabitat. . . . .	207
TABLE 4.5.2. Best logistic regression models for scaly-breasted wren babbler microhabitat. . . . .	208
TABLE 4.5.3. Best logistic regression models for white-browed shortwing microhabitat. . . . .	209
TABLE 4.5.4. Best logistic regression models for pygmy wren babbler microhabitat. . . . .	210
TABLE 4.5.5. Best logistic regression models for chestnut-headed tesia microhabitat. . . . .	211
TABLE 4.5.6. Best logistic regression models for Indian blue robin microhabitat. . . . .	212
TABLE 4.5.7. Best logistic regression models for grey bushchat microhabitat. . . . .	214
TABLE 5.1. Ecological guild designations for bird species. . . . .	318
TABLE 5.2. Ecological guild designations for terrestrial small mammals. . . . .	322
TABLE 5.3. High-value woody plant species at Chitre Village . . . . .	323
TABLE 5.4. Pioneer woody plant species at Chitre Village . . . . .	324
TABLE 5.5. Woody plant taxa that differ in abundance across adjacent habitat zones . . . . .	325
TABLE 5.6. Relative diversity of woody plant species in progressively disturbed habitat zones . . . . .	327
TABLE 5.7. Three indexes of woody plant species turnover (similarity) across progressively disturbed habitat zones . . . . .	328
TABLE 5.8. Structural habitat variables that differ across progressively disturbed habitat zones. . . . .	329

TABLE 5.9. Relative abundance of animal species in progressively disturbed habitat zones . . . . .	332
TABLE 5.10. Estimated breeding densities of selected understory passerines in progressively disturbed habitat zones . . . . .	339
TABLE 5.11. Relative bird species diversity in progressively disturbed habitat zones . . . . .	340
TABLE 5.12. Indexes of bird species turnover (similarity) across progressively disturbed habitat zones . . . . .	341
TABLE 5.13. Relative diversity of terrestrial small mammal species in progressively disturbed habitat zones . . . . .	342
TABLE 5.14. Indexes of species turnover (similarity) of terrestrial small mammals across progressively disturbed habitat zones . . . . .	343
TABLE 5.15.1. Richness and abundance of avian dietary guilds in progressively disturbed habitat zones. . . . .	344
TABLE 5.15.2. Richness and abundance of avian foraging stratum guilds in progressively disturbed habitat zones. . . . .	346
TABLE 5.15.3. Richness and abundance of avian nest type guilds in progressively disturbed habitat zones. . . . .	348
TABLE 5.15.4. Richness and abundance of avian nest placement guilds in progressively disturbed habitat zones. . . . .	350
TABLE 5.16. Richness and abundance of small terrestrial mammal dietary guilds in progressively degraded habitat zones . . . . .	351
TABLE 5.17. Habitat variables most affected by specific resource harvests. . . . .	353

TABLE 5.18. Harvest-affected variables that correlate significantly with animal species abundances . . . . .	357
TABLE 5.19. Harvest-affected habitat variables that correlate significantly with abundances of bird ecological guilds . . . . .	363
TABLE 5.20. Harvest-affected habitat variables that correlate significantly with abundances of small mammal dietary guilds . . . . .	366
TABLE 5.21. Harvest-affected variables that differ between sites occupied versus unoccupied by seven understory bird species . . . . .	367

## LIST OF FIGURES

FIGURE 1.1. Location of Chitre Village and Makalu Barun National Park and Buffer Zone . . . . .	35
FIGURE 1.2. Satellite image of Chitre Village and surroundings. . . . .	36
FIGURE 1.3. Villages and landscape features of the Sisuwa and lower Sankhuwa watersheds . . . . .	37
FIGURE 1.4. Weather patterns at Chitre Village and Darjeeling, India . . . . .	38
FIGURE 1.5. Rufous-throated wren babbler ( <i>Spelaeornis caudatus</i> ). . . . .	39
FIGURE 1.6. Girl herding village-based cattle in shrubby pastures near Chitre Village. . . . .	40
FIGURE 1.7. Rai long-rotation swidden, or <i>khoriya</i> , in the lower Sisuwa watershed. . . . .	41
FIGURE 1.8. Short-rotation swiddens, or <i>lose</i> , at the perimeter of Chitre Village croplands . . . . .	42
FIGURE 1.9. Rai <i>goThala</i> with mixed herd of goats and sheep at Bagalekhop . . . . .	43
FIGURE 1.10. Goat browsing understory vegetation at a forest-interior <i>khArka</i> . . . . .	44
FIGURE 1.11. Condition of a forest-interior <i>khArka</i> after short-term use by an itinerant herd of goats and sheep. . . . .	45
FIGURE 2.1. Traditional house and livestock shed. . . . .	95
FIGURE 2.2. Modern timber-and-stone home . . . . .	96
FIGURE 2.3. Chitre Village, comprised of 10 households, with Phinchho Norling Gomba located near the center. . . . .	97
FIGURE 2.4. Phinchho Norling Gomba. . . . .	98
FIGURE 2.5. Locations of study plots and dwellings at Chitre Village. . . . .	99
FIGURE 2.6. Calendar of crop production and forest use at Chitre Village. . . . .	100



FIGURE 2.7. Children collecting “gathered” fuelwood from shrubby pastures near the village.....	101
FIGURE 2.8. Fuelwood cut from a single large <i>Quercus</i> tree, split and stacked to dry.....	102
FIGURE 2.9. Proportions of high-, medium-, and low-ranked fuelwood species used at Chitre Village.....	103
FIGURE 2.10. Woman cooking with a traditional Nepalese open hearth, or <i>chulli</i> .....	104
FIGURE 2.11. Household occupancy and fuelwood use by month.....	105
FIGURE 2.12. Availability of high-, average-, and low-ranked fuelwoods at increasing distances from village center.....	106
FIGURE 2.13. Rai lumbermen ripping a large <i>Castanopsis hystrix</i> .....	107
FIGURE 2.14. Availability of tree species most preferred for sawtimber at increasing distances from village center .....	108
FIGURE 2.15. Availability of tree fodder species >10 cm DBH at increasing distances from village center.....	109
FIGURE 2.16. Women and children collect leaf litter, or <i>patkar</i> .....	110
FIGURE 2.17. Woman adding fouled livestock bedding (leaf litter) to a mulch heap. ....	111
FIGURE 2.18. Rai laborer tilling mulch into a terraced field with an ox-drawn plow. ....	112
FIGURE 2.19. Aggregate canopy volume (m <sup>3</sup> /ha) of trees >2 cm diameter at base at increasing distances from village center. ....	113
FIGURE 2.20. Rai men hauling <i>bhAris</i> (person-loads) of malingo bamboo .....	114
FIGURE 2.21. Woman weaving a <i>chitra</i> panel from split malingo bamboo. ....	115
FIGURE 2.22. Availability of malingo bamboo at increasing distances from village center. ....	116

FIGURE 2.23. Living fence created by planting stems of <i>Viburnum erubescens</i> . . . . .	117
FIGURE 2.24. Percent of trees (10-25 cm DBH) with cut stems at increasing distances from village center . . . . .	118
FIGURE 3.1. Configuration of 9 ha and 0.25 ha study plots.. . . . .	143
FIGURE 3.2. Large stumps and trees at the periphery of village croplands . . . . .	144
FIGURE 3.3.1. TWINSpan ordered two-way table of tree species associations, part 1: mixed broadleaved association. . . . .	145
FIGURE 3.3.2. TWINSpan ordered two-way table of tree species associations, part 2: oak/laurel association. . . . .	146
FIGURE 3.3.3. TWINSpan ordered two-way table of tree species associations, part 3: rhododendron association.. . . . .	147
FIGURE 3.3.4. TWINSpan ordered two-way table of tree species associations, part 4: clearings association.. . . . .	148
FIGURE 3.4. Relative frequency of sampling points classified as different TWINSpan species associations at increasing distances from village center. . . . .	149
FIGURE 3.5. Ordination of tree species based on elevation, slope, aspect, and distance from village center. . . . .	150
FIGURE 3.6. Relative frequency of xeric-habitat pioneer species at increasing distances from village center. . . . .	151
FIGURE 3.7. Relative frequency of mesic-habitat pioneer species at increasing distances from village center. . . . .	152
FIGURE 3.8. Relative frequency of six late-successional species that increase most sharply with distance. . . . .	153

FIGURE 3.9. Nearest-neighbor cluster analysis of relativized Basal Area Ratios for <i>Persea</i> , <i>Quercus</i> and <i>Magnolia</i> stumps and living trees >50 cm diameter . . . . .	154
FIGURE 4.1. Cropland habitat near the center of Chitre Village . . . . .	215
FIGURE 4.2. Pasture habitat ~200-300 m from village center . . . . .	216
FIGURE 4.3. Relatively xeric site in Chitre's Disturbed Forest zone . . . . .	217
FIGURE 4.4. Relatively mesic site in Chitre's Disturbed Forest zone. . . . .	218
FIGURE 4.5. Closed-canopy Forest near Chitre . . . . .	219
FIGURE 4.6. Sketch map of the Chitre Kharka 9-ha study plot . . . . .	220
FIGURE 4.7. Correlation between number of detections and number of significant habitat variable associations . . . . .	221
FIGURE 4.8.1. Results of bird species cluster analysis . . . . .	222
FIGURE 4.8.2. Results of small mammal cluster analysis . . . . .	223
FIGURE 4.9. Ordination of bird species on mean habitat vectors . . . . .	224
FIGURE 4.10. Ordination of small mammal species on mean habitat vectors . . . . .	225
FIGURE 4.11. Ordination of bird assemblages and selected understory species on mean habitat vectors . . . . .	226
FIGURE 4.12. Ordination of small mammal assemblages on mean habitat vectors . . . . .	227
FIGURE 4.13. Grey-bellied tesia ( <i>Tesia cyaniventer</i> ) . . . . .	228
FIGURE 4.14. Scaly-breasted wren babbler ( <i>Pnoepyga albiventer</i> ) . . . . .	229
FIGURE 4.15. Male white-browed shortwing at nest ( <i>Brachypteryx montana</i> ) . . . . .	230
FIGURE 4.16. Pygmy wren babbler ( <i>Pnoepyga pusilla</i> ) . . . . .	231
FIGURE 4.17. Chestnut-headed tesia at nest ( <i>Tesia castaneocoronata</i> ) . . . . .	232
FIGURE 4.18. Male Indian blue robin ( <i>Luscinia brunnea</i> ) . . . . .	233

FIGURE 4.19. Grey bushchat ( <i>Saxicola ferrea</i> ) . . . . .	234
FIGURE 5.1. Species accumulation curves for bird surveys . . . . .	370
FIGURE 5.2. Species accumulation curves for small mammal trapping . . . . .	371
FIGURE 5.3.1. Relative intensity of pollarded stem harvest across progressively disturbed habitat zones . . . . .	372
FIGURE 5.3.2. Relative harvest intensity and supply of fuelwood across progressively disturbed habitat zones . . . . .	373
FIGURE 5.3.3. Relative supply and intensity of use of pasture across progressively disturbed habitat zones . . . . .	374
FIGURE 5.3.4. Relative supply and harvest intensity of leaf litter across progressively disturbed habitat zones . . . . .	375
FIGURE 5.3.5. Relative harvest intensity and supply of tree fodder across progressively disturbed habitat zones . . . . .	376
FIGURE 5.3.6. Relative harvest intensity and supply of timber species across progressively disturbed habitat zones . . . . .	377
FIGURE 5.3.7. Relative supply and intensity of bamboo harvest across progressively disturbed habitat zones . . . . .	378
FIGURE 5.4. Proportion of woody pioneer species in different canopy layers across progressively disturbed habitat zones . . . . .	379
FIGURE 5.5. Changes in forest canopy volume across progressively disturbed habitat zones . . . . .	380
FIGURE 6.1. Seasonal <i>khArka</i> landscape. . . . .	398
FIGURE 6.2. Primary forest patch . . . . .	399

FIGURE 6.3. <i>KhArka</i> patch . . . . .	400
FIGURE 6.4. Recent settlement landscape . . . . .	401
FIGURE 6.5. Cropland patch . . . . .	402
FIGURE 6.6. Pasture patch . . . . .	403
FIGURE 6.7. Fuelwood felling patch . . . . .	404
FIGURE 6.8. Small village landscape . . . . .	405
FIGURE 6.9. Timber felling patch . . . . .	406
FIGURE 6.10. Commercial outpost landscape . . . . .	407

## LIST OF APPENDICES

APPENDIX 1.1. Climatological data from Chitre Village, 1993-1994. . . . .	46
APPENDIX 1.2. Woody plant species recorded near Chitre Village . . . . .	47
APPENDIX 1.3. Bird species recorded near Chitre Village. . . . .	51
APPENDIX 1.4. Mammal species recorded near Chitre Village. . . . .	61
APPENDIX 3.1. Density and basal area of stumps and living trees >50 cm diameter. . . . .	155
APPENDIX 4.1. Habitat variables measured. . . . .	235
APPENDIX 4.2. Mean values of habitat variables . . . . .	240
APPENDIX 4.3.1. Means of habitat variables at sampling sites occupied by black-eared shrike-babbler - great barbet. . . . .	244
APPENDIX 4.3.2. Means of habitat variables at sampling sites occupied by grey-winged blackbird - grey-headed flycatcher . . . . .	250
APPENDIX 4.3.3. Means of habitat variables at sampling sites occupied by pygmy blue flycatcher - striated laughingthrush . . . . .	256
APPENDIX 4.3.4. Means of habitat variables at sampling sites occupied by streaked laughingthrush - Indian blue robin . . . . .	262
APPENDIX 4.3.5. Means of habitat variables at sampling sites occupied by white-tailed robin - ashy-throated warbler . . . . .	268
APPENDIX 4.3.6. Means of habitat variables at sampling sites occupied by brownish-flanked bush warbler - whiskered yuhina . . . . .	274
APPENDIX 4.4. Means of habitat variables at sampling sites occupied by small mammal species . . . . .	280
APPENDIX 4.5. Factor coordinates for bird species on PCA ordination axes. . . . .	286

APPENDIX 4.6. Factor coordinates for small mammals on PCA ordination axes..... 288

APPENDIX 4.7. Similarity of understory passerine abundances in 1993 and 1994  
at Chitre Kharka and Hile study plots . . . . . 289

APPENDIX 5.1. Number of breeding territories in study plots . . . . . 381

## ACKNOWLEDGMENTS

I am forever indebted to the Sherpas of Chitre Village, each of whom welcomed me warmly into his or her home and life; especially to Somdu, Chhedar, Lhakpa Dorchi (“Ang Kaji”), and Ongchu, who became my capable and dedicated field assistants. Somdu, and his wife Pasang, were my gracious hosts at Chitre. Chhedar, my main companion in the field and still a dear friend, has since moved to Kathmandu to secure a good education for his children, become proficient in English, and summited Mount Everest eight times. Ang Kaji, intelligent and full of youthful energy, perished in a colossal avalanche on Mount Everest on April 18<sup>th</sup>, 2014. I am also grateful to Jit Bahadur Basnet, for his assistance in finding Chitre and for easing my acceptance there.

I will forever cherish the opportunity I had to immerse myself in a very different and remarkably compatible culture. The unique opportunity was made possible through a J.W. Fulbright Scholarship from the United States Information Agency and additional funding from the Smith Family Scholarship Trust, Yosemite Center for Wildlife Conservation, Threshold Center, American Pheasant and Waterfowl Association, Oliver Auer, and Mike Corley.

In Nepal, several institutions provided facilities and logistical support. The staff of the United States Educational Foundation was especially helpful during my first year in Nepal. During the second year the Makalu-Barun Conservation Project (MBCP) accommodated me at their headquarters whenever I visited Kathmandu; Rama Shrestha, Ramesh Shrestha, Musrat Khan, and Alton Byers were particularly helpful. Alton was an active supporter of this study from its inception, and was one of only three Westerners who visited me in the field. Personnel at MBCP’s field office in Khandbari were always willing to accommodate me, even though I almost always arrived unannounced, unbathed, and in need of secure storage for pack-loads of equipment and supplies.



I am also grateful to Nepal's Department of National Parks and Wildlife Conservation for issuing research permits, and to Dr. Nanda P. Joshi and Lhakpa Norbu Sherpa for facilitating that process. I am grateful to Professor Manandhar for affiliating me with Tribhuvan University's Geography Department, and to Dr. Mahendra K. Giri and Mrs. Pushpa Shrestha for advice and for the use of facilities at the university's Natural History Museum. Nepal's Survey Department and Forest Survey and Statistics Division provided aerial photographs and cadastral maps, for which I am particularly grateful to A. B. Chitrakar and Ratna Bahadur Katuwal.

I could not have conducted this study without the botanical expertise of Dr. Tirtha Bahadur Shrestha, Dr. Keshab Raj Rajbhandari, Dr. Pushpa Ratna Shakya, and Dr. David Long. I also thank Kazi Nepali and Rabindra Manandhar for sharing their expertise of Nepalese birdlife and occasional logistical help, but especially for the warm friendship they extended whenever I visited Kathmandu. Alton Byers, Bob Davis, and Angie Pitsenbarger of The Mountain Institute were very supportive, and I am grateful to Karma and Wendy Brewer Lama for helping me through more than one critical juncture in Kathmandu.

I am especially thankful to the members of my doctoral committee past and present, Hartmut Walter and Thomas Gillespie as co-chairs, and Robert Bailey, Charles Bennett, Martin Cody, Daniela Cusack, Melissa Savage, and Thomas Smith assisting. I thank them for the confidence they expressed in me, and for allowing me considerable freedom to pursue independent research in a remote corner of the world. I am especially thankful to Hartmut and Tom Gillespie for helping resurrect my dissertation program after a long hiatus.

I must also thank my wife, Meenakshi "Mini" Nagendran, an accomplished wildlife conservationist herself, not for typing, but for her utter selflessness in accepting my dogged pursuit of this project for much too long, and for early proof-reading and assistance with long-

distance logistics. Finally, reaching back to important professional influences of the distant past, I thank Floyed Hopper, Chuck Yocum, David Anderson, Merlin McColm, George Archibald, and Stanley Temple.

## VITA

- 1982 B.A., Zoology  
Humboldt State University  
Arcata, California
- 1982 B.S., Wildlife Management  
Humboldt State University  
Arcata, California
- 1988 M.S., Wildlife Ecology  
University of Wisconsin  
Madison, Wisconsin
- 1992 Fulbright Scholar in Nepal  
United States Information Agency
- 1996 Lecturer in Ornithology  
California State University  
Sacramento, California
- 2003 Lecturer in Ornithology  
University of California Extension  
Los Angeles, California
- 1997-2006 Assistant Professor of Biology  
Santa Monica College  
Santa Monica, California
- 2007-2013 Contract Research Biologist  
California Department of Fish and Wildlife  
Sacramento, California
- 2014-present Chief Executive Officer  
Game Bird Research Group  
Stockton, California